

# Kwik-Change RO systems are so easy to service you'll get great quality water every time!



Kwik-Change RO with Permeate Pump.

## Conventional RO Systems

**VS.**

## Kwik-Change RO System

***No Sumps! No Mess! No Fuss!***

Conventional RO systems may provide high quality water. However, cartridges and membranes are difficult to replace because they are installed in housings and must be removed. This procedure includes the need to shut off and drain down the system, open the housings with a wrench, remove cartridges, empty water from the sumps, clean the filter and membrane housings, replace cartridges, re-pressurize, and check for leaks.

Because conventional systems are difficult to service, routine maintenance may be delayed. Therefore, consumers may not get the quality water they desire, unless a qualified dealer is called to service their system.

- Hinge bracket for easy handling.
- Automatic shut off when cartridges are removed with a simple, 1/4 turn.
- No need to disconnect tubing when replacing membranes.
- Integrated check valves between cartridges and membrane prevent back-flow.
- Cartridges have double o-rings so they will not leak.
- Quick connect fittings for easy installation.

### Models

Model Number	Pump	Stage	Capacity (GPM)	Size Elements	Faucet	Tank
QC0501	No	4	50	11"	Top mount	RO-PRO®
QC0502	No	4	50	11"	Top mount	Metal
QC0503	No	4	50	11"	Long reach	Metal
QC1001	No	4	100	13"	Top mount	RO-PRO®
QC1002	No	4	100	13"	Top mount	Metal

### Booster Pump Models

Model Number	Pump	Stage	Capacity (GPM)	Size Elements	Faucet	Tank
BP050R	Yes	4	50	11"	No faucet	RO-PRO®
BP050M	Yes	4	50	11"	No faucet	Metal
BP100R	Yes	4	100	13"	No faucet	RO-PRO®
BP100M	Yes	4	100	13"	No faucet	Metal

Note: All models listed above use 3/8" tubing from unit to tank to faucet. All models come with designer, top mount air gap faucets.

### Replacement Elements

Model	Element	Sediment	Carbon	Membrane	GAC
50 GPD System	11"	WQCSC11	WQCCC11	WQCM11-50	WQCGAC11
100 GPD System	13"	WQCSC13	WQCCC13	WQCM13-100	WQCGAC13